






Jan.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
△	REWRITTEN BY CAD	Y.S		..	△				..
△	5 DIS-E-001025	Y.S	Y.E	06.11.2	△				..
△				..	△				..



RECOMMENDED PC BOARD PATTERN



NOTE 1 PART No. ⑩ SHALL BE FINISHED AS TABLE SHOWN BELOW ACCORDING TO PANEL THICKNESS.
(WASHER THICKNESS : 0.8)

PANEL THICKNESS	NUMBER OF WASHER
t=0.7 ~ 1.0	2 EACH
t=1.5 ~ 1.8	1 EACH

TO
Q1

7	ZINC ALLOY DIE CASTING	OVER: NICKEL PLATING 2μ m min UNDER: COPPER PLATING 10μ m min	10	STEEL	OVER: NICKEL PLATING 2μ m min UNDER: COPPER PLATING 3μ m min
6	PBT	UL94V-0(BLACK)	9	BRASS	OVER: NICKEL PLATING 2μ m min UNDER: COPPER PLATING 1μ m min
5	PBT	UL94V-0(BLACK)	8	STEEL	OVER: NICKEL PLATING 1μ m min UNDER: COPPER PLATING 5μ m min
1~4	PHOSPHOR BRONZE	CONTACT: GOLD PLATING 0.2μ m min DIP: GOLD PLATING 0.03μ m min UNDER: NICKEL PLATING 2μ m min			
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS

CODE NO. (OLD) CL	DRAWN T.KAMEYA	DESIGNED T.KAMEYA	CHECKED Y.ENAMI	APPROVED H.MIWA	RELEASED ..
	03.10.06	03.10.06	03.10.07	03.10.08	..
SCALE 2 : 1	DRAWING NO. EDC3-040771-01	PART NO. DX10A-28S(50)			
UNITS mm	HRS HIROSE ELECTRIC CO., LTD	CODE NO. CL230-0048-5-50			1/1